



**We just
prevent the rust**

Manufacturer & Exporter of Speciality
grade Anticorrosive Paints



Products

Epoxy Paints, PU Paints and Enamel Paints

You're a professional. Every day you face new challenges. That's why you need products that are as professional as you are. With wide range of anti corrosive paints from Zeel Paints you can be sure that you'll find the best solutions for your coating needs. Zeel Paints offers perfectly matched systems and high-quality coatings. For every use and every surface available in any shades.



Paint Selections

	POLYURETHANE PAINTS	EPOXY COATING	EPOXY HIGH BUILD	CHLORINATED RUBBER	BLACK JAPAN	SYNTHETICS ENAMELS	N.C. PAINTS	POLYURETHANE PAINTS	POWDER COATING
1 Type	Two Component	Two Component	Two Component	Single Component	Single Component	Single Component	Single Component	Single Component	Single Component
2 Drying -SO -HD -Scratch Hardness	15 mins. 24 hrs. 72 hrs.	45 mins. 24 hrs. 7 hrs.	45 mins. 24 hrs. 7 hrs.	5 mins. 24 hrs. 24 hrs.	45 mins. 36 hrs. 36 hrs.	45 mins. 24 hrs. 24 hrs.	5 mins. 30 mins. 12 hrs.	15 mins. 24 hrs. 72 hrs.	
3 D.F.T. Dry Film thickness (single coat)	25-50	25-30	75-100	25-30	60-70	25	25	25-30	50m to 200m
4 Anti Corrosion Properties	G	E	E	G	G	F	G	G	E
5 Water Resistance	G	G	G	G	G	F	G	E	E
6 Acid Resistance	E	E-(Poor in Organic Acid)	E-(Poor in Organic Acid)	E	E	F	G	G	E
7 Alkali Resistance	G	E	E	E	F	P	P	G	E
8 Solvent Resistance	E	E	G	P	P	P	P	P	E
9 High temp. Resistance	120°C	150°C						120°C	120°C
10 Scratch Hardness	4500 g.cm ^{2.5}	E 5000 g.cm ^{2.5}	E 4500 g.cm ³	1500 g.cm ^{2.5}		1500 g.cm ²	2000 g.cm ²	E 2500 g.cm ²	7500 g.cm ²
11 Toughness	E	E	E	G	P	F	G	E	E
12 Flexibility	E	G	G	G	E	G	G	E	E
13 Adhesion	E	E	E	E	G	G	E	E	E
14 Colours Available	All Colours	All Colours	All Colours	All Colours	Only Black	All Colours	All Colours	All Colours	All Colours
15 Finish	Glossy to Matt	Glossy to Matt	Semi Glossy	Semi Glossy	Matt	Glossy	Glossy to Matt**	Glossy	Glossy to Matt
16 Baking Schedule	120° C/20 mins.	130° C/30 mins.	130°C/30 mins.	Nil mins.	Nil mins.	130°C/30 mins	Nil	80°C/15 mins.	180°C/15 mins.
**Rubbing is required to get smooth glossy finish. E- Excellent, G- Good, F-Fair, P-Poor.									

Product Range

Creative flexibility. Over 100 products

The Zeel product range includes over 100 products for every painting, decorating and finishing job - from varnishes and paints, wall and floor coverings, to special external thermal insulation composite systems, concrete protection and repair systems, as well as a comprehensive range of shades.

- 2K Epoxy Zinc Chromate Red Oxide / Yellow Primer
- 2K Epoxy Zinc Phosphate Red Oxide / Grey Primer
- 2K Epoxy Zinc Rich Primer
- 2K Epoxy Ethyl Silicate Primer
- 2K Epoxy 100% Solid Internal Pipe Coating
- 2K Epoxy Finish Paint (Available in all Solid Shades)
- 2K Epoxy Highbuild Paint (Available in all Solid Shades)
- 2K Epoxy Coal Tar
- 2K Floor Coating Paint
- 2K Epoxy Self Leveling Flooring Paint
- 2K Epoxy Solvent less (food safe)
- Epoxy Thinner

- 2K Polyurethane (Pu) Zinc Chromate Red Oxide / Yellow Primer
- 2K Polyurethane (Pu) Zinc Phosphate Red Oxide / Grey Primer
- 2K Polyurethane Finish Paint (For Interior Use)
- 2K Polyurethane Acrylic Finish Paint
- 2K Polyurethane Acrylic Aliphetic Uv Resistance Paint
- 2K Polyurethane Autocoat
- 2K Polyurethane Highbuild Finish Coat.
- Polyurethane Thinner

- Synthetic Enamel Paint (Alkyd Base- Available In All Shades)
- General Purpose- Gp Enamel Paint (Available In All Shades)
- Quick Drying Paints (For Oems)
- Alkyd Base Auto Paint



Range of Products Includes

- Epoxy Paints & Primers
- Polyurethane Paints & Primers
- Chlorinated Rubber Paints & Primers
- Autofinish Paints
- Synthetic Enamel
- Quick Drying Paints & Primers
- Red Oxide & Thinners
- Hammertone Finish Paints
- Aluminum & Heat Resistance Paints
- Stoving Enamels
- Single Component PU Paint

General Description

Recommended for protection and decoration of any article, component, plant or equipment, which has to weather, chemical, marine or highly polluted atmosphere. The system offers full protection against Solvents, Alkali, Acid, Sea water splashing etc.

Products

Epoxy Paints, PU Paints and Enamel Paints

You're a professional. Every day you face new challenges. That's why you need products that are as professional as you are. With wide range of anti corrosive paints from Zeel Paints you can be sure that you'll find the best solutions for your coating needs. Zeel Paints offers perfectly matched systems and high-quality coatings. For every use and every surface available in any shades.



Paint Selections

	POLYURETHANE PAINTS	EPOXY COATING	EPOXY HIGH BUILD	CHLORINATED RUBBER	BLACK JAPAN	SYNTHETICS ENAMELS	N.C. PAINTS	POLYURETHANE PAINTS	POWDER COATING
1 Type	Two Component	Two Component	Two Component	Single Component	Single Component	Single Component	Single Component	Single Component	Single Component
2 Drying -SO -HD -Scratch Hardness	15 mins. 24 hrs. 72 hrs.	45 mins. 24 hrs. 7 hrs.	45 mins. 24 hrs. 7 hrs.	5 mins. 24 hrs. 24 hrs.	45 mins. 36 hrs. 36 hrs.	45 mins. 24 hrs. 24 hrs.	5 mins. 30 mins. 12 hrs.	15 mins. 24 hrs. 72 hrs.	
3 D.F.T. Dry Film thickness (single coat)	25-50	25-30	75-100	25-30	60-70	25	25	25-30	50m to 200m
4 Anti Corrosion Properties	G	E	E	G	G	F	G	G	E
5 Water Resistance	G	G	G	G	G	F	G	E	E
6 Acid Resistance	E	E-(Poor in Organic Acid)	E-(Poor in Organic Acid)	E	E	F	G	G	E
7 Alkali Resistance	G	E	E	E	F	P	P	G	E
8 Solvent Resistance	E	E	G	P	P	P	P	P	E
9 High temp. Resistance	120°C	150°C						120°C	120°C
10 Scratch Hardness	4500 g.cm ^{2.5}	E 5000 g.cm ^{2.5}	E 4500 g.cm ³	1500 g.cm ^{2.5}		1500 g.cm ²	2000 g.cm ²	E 2500 g.cm ²	7500 g.cm ²
11 Toughness	E	E	E	G	P	F	G	E	E
12 Flexibility	E	G	G	G	E	G	G	E	E
13 Adhesion	E	E	E	E	G	G	E	E	E
14 Colours Available	All Colours	All Colours	All Colours	All Colours	Only Black	All Colours	All Colours	All Colours	All Colours
15 Finish	Glossy to Matt	Glossy to Matt	Semi Glossy	Semi Glossy	Matt	Glossy	Glossy to Matt**	Glossy	Glossy to Matt
16 Baking Schedule	120° C/20 mins.	130° C/30 mins.	130°C/30 mins.	Nil mins.	Nil mins.	130°C/30 mins	Nil	80°C/15 mins.	180°C/15 mins.
**Rubbing is required to get smooth glossy finish. E- Excellent, G- Good, F-Fair, P-Poor.									

Product Range

Creative flexibility. Over 100 products

The Zeel product range includes over 100 products for every painting, decorating and finishing job - from varnishes and paints, wall and floor coverings, to special external thermal insulation composite systems, concrete protection and repair systems, as well as a comprehensive range of shades.

2K Epoxy Zinc Chromate Red Oxide / Yellow Primer

2K Epoxy Zinc Phosphate Red Oxide / Grey Primer

2K Epoxy Zinc Rich Primer

2K Epoxy Ethyl Silicate Primer

2K Epoxy 100% Solid Internal Pipe Coating

2K Epoxy Finish Paint (Available in all Solid Shades)

2K Epoxy Highbuild Paint (Available in all Solid Shades)

2K Epoxy Coal Tar

2K Floor Coating Paint

2K Epoxy Self Leveling Flooring Paint

2K Epoxy Solvent less (food safe)

Epoxy Thinner

2K Polyurethane (Pu) Zinc Chromate Red Oxide / Yellow Primer

2K Polyurethane (Pu) Zinc Phosphate Red Oxide / Grey Primer

2K Polyurethane Finish Paint (For Interior Use)

2K Polyurethane Acrylic Finish Paint

2K Polyurethane Acrylic Aliphetic Uv Resistance Paint

2K Polyurethane Autocoat

2K Polyurethane Highbuild Finish Coat.

Polyurethane Thinner

Synthetic Enamel Paint (Alkyd Base- Available In All Shades)

General Purpose- Gp Enamel Paint (Available In All Shades)

Quick Drying Paints (For Oems)

Alkyd Base Auto Paint

Nitrocellulose Base Paints

Hammertone Paint

Metal Primer

Synthetic Red Oxide Primer

Zinc Chromate Red Oxide Primer (Alkyd Base)

Zinc Chromate Yellow Primer (Alkyd Base)

Zinc Phosphate Grey Primer (Alkyd Base)

Auto Primer Surfacer (Ps Grey)

Auto Red Oxide Primer

1K Acrylic Paint

1K Ready To Use Paint (Anticorrosive Paint)

1K Ready To Use Red Oxide / Grey Primer (Anticorrosive Primer)

Airdrying Cum Stoving Paint

Pure Stoving Paint

Barrel Enamels

Chlorinated Rubber Paint (Cr Paint)

Chlorinated Rubber Primer (Cr Primer)

Black Bituminous

Industrial Black Paint (Low Cost)

Alluminium Paint

H R Silver Paint- 200°C & 400°C

GP Thinner (General Purpose Thinner)

Stoving Thinner

CR Thinner

NC Thinner

Mix Industrial Thinner

Turpentine / MTO

Waterbase Interior wall Primer and Paints

Waterbase Exterior wall Paints

Plastic Emulsion Paints

Many More Products Under Process...



Industrial Coating Shades
Epoxy, Polyurethane, Auto & Synthetic Enamel



New Superior White	Crystal aWhite	Bianco	HM Shell White
Off White	Royal Ivory	1013 Oyster White	1001 Beige
9002 Grey White	9003 Signal White	Golden Yellow	1023 Traffic Yellow
1003 Signal Yellow	Smoke Grey	DA Grey	Steel Grey
LT Grey IS	7001 Silver Grey	7032 Pebble Grey	7035 LT Grey
7035 Dusty Grey	7046 Tele Grey	Apple Green	Opaline Green
Bus Green	Verde	Oasis Green	Peacock Green
6003 Olive Green	Signal Red	P O Red	ST German Red
3000 Flame Red	Deep Orange	2000 Yellow Orange	Tata Blue
Racing Blue	Bayer Blue	Oxford Blue	Phirozi
French Blue	4005 Blue Lilac	5010 Gention Blue	5012 Light Blue
5015 Sky Blue	Golden Brown	Dark Brown	8012 Red Brown

These shades are for indicative purpose only.


Meeting the highest demand

Zeel Paints established in the year 2003. It is located at Ahmedabad in Gujrat India. Since beginning our company works with ISO standard nomes. Company owners have an excellent knowledge of paints, pigments and dispersion. With our know-how and experience gained over more than twenty years in the business, we ensure efficiently produced high-quality products.

We are a prominent manufacturer and Supplier of Epoxy finishes, Epoxy Coal Tar, Polyurethane Paints, PU Autofinish, Synthetic finishes, Specialty Coatings, Zinc Silicate, Heat Resistant, Epoxy Inorganic, Aluminum Paint, Quick Drying Primers and Quick Drying Paints etc.

We develop and produce our high-end colour products in close coordination with our customers from the OEM industries, and tailor them especially to their individual applications.

We also provide a superb support services for the painting and industrial coating user who required top choice of product backed-up by professional advice and assistance from our experts.



Quality Policy

We are committed to develop, manufacture, and deliver paints at competitive price and consistent quality by providing timely delivery.

Environment Policy

We firmly believe in creating clean, safe and healthy working environment by complying with all the technical and stationary requirements.

The Industries we serve

Textile Machine Manufacturers, Marine Applications, Furniture Industries, Pumps Manufacturers, PCB - PEB Manufacturers, Pharmaceutical, Food Industries, Valve and Pipe Industries, Automobiles, Control Panel Board, Fertilizers, Textile Bobbin Manufacturers, Govt. & Semi Govt. Sectors, Chemical Industries, OEM.

